

Tabella 1- Elenco delle specie di conifere (a), latifoglie (b) e arbusti (c) idonee in interventi di rimboschimento e imboschimento (R), arboricoltura da legno (A) o in entrambi (A/R) per le aree ecologicamente omogenee individuate.

a)

	Aree ecologicamente omogenee																						
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
<i>Abies nebrodensis</i>														R									
<i>Cedrus atlantica</i>				A/R	A/R				A/R				A/R	A/R		A/R	A/R		A/R	A/R		A/R	A/R
<i>Cupressus arizonica</i>			A/R					A/R	A/R	A/R	A/R	A/R	A/R		A/R	A/R		A/R	A/R		A/R	A/R	
<i>Cupressus sempervirens</i>			A/R					A/R	A/R	A/R	A/R	A/R	A/R		A/R	A/R		A/R	A/R		A/R	A/R	
<i>Cupressus macrocarpa</i>			A/R					A/R	A/R	A/R	A/R	A/R	A/R		A/R	A/R		A/R	A/R		A/R	A/R	
<i>Pinus halepensis</i>	A/R	A/R	A/R	A/R				A/R	A/R	A/R	A/R	A/R	A/R		A/R	A/R		A/R	A/R		A/R	A/R	
<i>Pinus pinea</i>	A/R	A/R	A/R	A/R				A/R	A/R			A/R	A/R		A/R	A/R					A/R	A/R	
<i>Pinus pinaster</i>	A/R	A/R	R	R										R							A/R	A/R	
<i>Taxus baccata</i>														R			R						
<i>Pinus laricio</i> Loudon subsp. <i>calabrica</i>				A/R	A/R									A/R			A/R			A/R			A/R

b)

	Aree ecologicamente omogenee																						
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
<i>Acer campestre</i>			A/R	A/R	A/R				A/R				A/R	A/R		A/R	A/R		A/R	A/R			
<i>Acer pseudoplatanus</i>				A/R	A/R				A/R					A/R		A/R	A/R		A/R	A/R			
<i>Acer monspessulanum</i>					R								R	R					R				
<i>Acer obtusatum</i>				R	R														R	R			
<i>Castanea sativa</i>				A/R	A/R				A/R				A/R	A/R		A/R	A/R					A/R	A/R
<i>Celtis australis</i>	R	R						R	R				R	R	R	R		R	R				
<i>Celtis tourneforti</i>	R	R																					
<i>Ceratonia siliqua</i>	R	R	R					R		R	R	R	R	R	R			R					
<i>Fagus sylvatica</i>					R									R			R			R			
<i>Fraxinus excelsior</i>														A/R		A/R	A/R						
<i>Fraxinus ornus</i>			A/R	A/R	A/R			A/R	A/R			R	R		R	R		R	R				
<i>Fraxinus oxycarpa</i>												A/R	A/R		A/R	A/R							

	Aree ecologicamente omogenee																				
<i>Juniperus phoenicea</i>	R																				
<i>Laurus nobilis</i>	R	R					R	R			R	R			R					R	R
<i>Malus sylvestris</i>				R	R							R	R		R	R				R	R
<i>Myrtus communis</i>			R	R			R	R						R	R					R	
<i>Morus alba</i>	R	R	R				R		R		R	R	R	R			R			R	
<i>Morus nigra</i>	R	R	R				R		R		R	R	R	R			R			R	
<i>Nerium oleander</i>	R	R	R				R		R	R	R	R	R				R				
<i>Olea europea</i> var. <i>sylvestris</i>	R	R	R	R			R	R	R	R	R	R	R	R			R	R			
<i>Pistacia lentiscus</i>	R		R				R		R	R	R	R		R			R				
<i>Pistacia terebinthus</i>	R	R	R	R			R	R		R	R	R	R	R	R		R	R			
<i>Prunus spinosa</i>							R	R		R	R	R	R		R	R		R		R	R
<i>Pyrus amygdaliformis</i>		R					R	R		R	R	R		R	R		R	R	R	R	
<i>Pyrus pyraeaster</i>		R	R	R			R	R					R			R			R		R
<i>Rhamnus alaternus</i>							R	R			R	R		R	R		R	R			
<i>Rosa canina</i> e altre specie autoctone			R	R	R		R					R	R		R	R		R	R		R
<i>Sorbus domestica</i>								R				R			R	R		R			R
<i>Sorbus torminalis</i>												R	R								
<i>Spartium junceum</i>	R	R	R	R			R		R	R	R	R		R	R		R	R			
<i>Tamarix africana</i>	R	R					R	R	R	R							R	R			
<i>Tamarix gallica</i>	R	R					R	R									R	R			
<i>Ulmus minor</i>		R										R			R		R				